

AMENDMENTS TO THE CLAIMS

The following is a complete listing of the claims indicating the current status of each claim and including amendments currently entered as highlighted.

1 to 22. (Cancelled)

23. (Currently Amended) A method for organizing and retrieving content of a ~~plurality of documents according to paragraphs groups, each of the paragraph groups having at least one paragraph,~~ the method comprising the steps of:

(a) providing a taxonomy~~concept index~~, said ~~concept index~~taxonomy having a plurality of nodes and a plurality of concepts, each of said nodes being uniquely associated with one of said concepts;

(b) determining for each of said concepts, ~~each of said nodes being associated with at least~~ comparison criteria including at least one word group, said at least one word group being a plurality of words in at least one specific combination;

(c) providing a plurality of documents;

(d) dividing all of said documents into a plurality of paragraphs;

(~~b~~e) classifying said paragraphs by:

(i) comparing the content of each of the said paragraphs groups of each of the documents to said at least one word groupcomparison criteria, for each of said nodes of said taxonomy; and

(eii) creating links between each of ~~the~~said paragraphs ~~groups~~ which ~~have~~s a match and at least one matching node of said nodes of said taxonomy;

(df) navigating said ~~concept index~~taxonomy by a user in order to locate a desired node of said nodes associated with a concept of interest of said user; and

(eg) displaying the content of ~~the~~said paragraphs ~~groups~~ which are linked to said desired node, ~~wherein said providing, comparing and creating is performed prior to said navigating and displaying.~~

24. (Currently Amended) The method of claim 23, wherein said ~~concept index~~taxonomy is a hierarchical ~~concept index~~, said plurality of nodes including a root node and a plurality of sub-nodes below said root node, each of said sub-nodes having only one parent node, each of said parent nodes having at least one of said sub-nodes as a child node thereof, each of said sub-nodes being associated with a concept which is a narrower sub-concept of a concept associated with a corresponding one of said parent nodes.

25. (Currently Amended) The method of claim 24, wherein said navigating includes navigating said ~~concept index~~taxonomy from said root node to said desired node, by said user.

26. (Currently Amended) The method of claim 23, wherein said displaying includes displaying the content of ~~the~~said paragraphs ~~groups~~ linked to said desired node in a scrollable window, said scrollable window having a plurality of scrollable

sub-windows, each of said scrollable sub-windows ~~uniquely displaying~~ the content of one of ~~said the paragraphs groups~~ linked to said desired node.

27. (Currently Amended) A system for organizing and retrieving content of a ~~plurality of documents according to paragraphs groups, each of the paragraph groups having at least one paragraph,~~ the system comprising:

(a) a database, said database including a ~~concept index~~taxonomy and a plurality of documents, said ~~concept index~~taxonomy having a plurality of nodes, each of said nodes being uniquely associated with a concept, each of said nodes being associated with at least one comparison criteria including at least one word group, said at least one word group being a plurality of words in at least one specific combination;

(b) a processor configured for:

(i) dividing all of said documents into a plurality of paragraphs;
and

(ii) classifying said paragraphs by:

(iI) comparing the content of each of the ~~said paragraphs groups of each of the documents to~~ said at least one word group comparison criteria for each of said nodes of said taxonomy; and

(iiII) creating links in said database between each of the ~~said paragraphs groups~~ which has a match and at least one matching node of said nodes of said taxonomy;

- (c) a user interface configured for allowing a user to navigate said ~~concept~~ index taxonomy in order to locate a desired node of said nodes associated with a concept of interest of said user; and
- (d) a display device configured for displaying the content of ~~the said~~ paragraphs groups which are linked to said desired node.

28. (Currently Amended) The system of claim 27, wherein said ~~concept~~ index taxonomy is a hierarchical ~~concept index~~, said plurality of nodes including a root node and a plurality of sub-nodes below said root node, each of said sub-nodes having only one parent node, each of said parent nodes having at least one of said sub-nodes as a child node thereof, each of said sub-nodes being associated with a concept which is a narrower sub-concept of a concept associated with a corresponding one of said parent nodes.

29. (Currently Amended) The system of claim 28, wherein said user interface is configured for allowing said user to navigate said ~~concept index taxonomy~~ from said root node to said desired node.

30. (Currently Amended) The system of claim 27, wherein said display device is configured for displaying the content of ~~the said~~ paragraphs groups linked to said desired node in a scrollable window, said scrollable window having a plurality of scrollable sub-windows, each of said scrollable sub-windows uniquely displaying the content of one of ~~the said~~ paragraph groups linked to said desired node.

31. (Currently Amended) The system of claim 27 wherein said database includes only links to each of ~~the said~~ paragraphs groups which has a match.